

Work Order ID 106096

106096

Page 1

August-28-13 12:42:09 PM

Item ID: D2268

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Placard

Start Date: 8/28/13 Start Qty: 10.00

10

Cust Item ID:

Required Date: 8/28/13 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: MLJ Date: 13-08-29 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2268	Rev B1								

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 21139 Make per Dwg D2268 Manufacture from 3M 7mil
masking film p/n 8522CP Material release note required

OK 13/08/30 10

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.00

Packaging

Ensure material release note is attached

OK 13/8/11 (10)

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

DAS
27
9-89

139 11

10

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Work Order ID 106096

106096

Page 2

August-28-13 12:42:09 PM

Item ID: D2268

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Placard

Start Date: 8/28/13 Start Qty: 10.00

10

Cust Item ID:

Required Date: 8/28/13 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <u>ST008</u>	0.00				<u>28</u>			
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

13/9/13

13-0911

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Picklist Print

August-28-13 12:42:08 PM

Page 1

Work Order ID: 106096

Parent Item: D2268

Parent Item Name: Placard

Start Date: 8/28/13

Required Date: 8/28/13

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP: B 01.04.09 Re-format EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2268P Placard		Purchased	No			110	Each	0.0000	1	10		8/28/13 (10)	

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY												
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other	



DESIGN	DRAWN BY	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA	
B WILLIAMS	MIKE M	DRAWING NO.	REV. B
CHECKED BW	APPROVED [Signature]	D2268	SHEET 1 OF 1
DATE	TITLE		SCALE
96:05:27	PLACARD		1:1
B	96.05.29	UPDATED PLACARD	
B1	01.04.10	ADD MATERIAL NOTE # CP	

**TOTAL WEIGHT IN THIS COMPARTMENT
NOT TO EXCEED 15 lbs. (7Kg.)**

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 106096.MC3
13-08-29



MATERIAL: BLACK LETTERS ON WHITE ADHESIVE BACK
MANUFACTURED FROM 3M 7 MIL MASKING FILM #8522CP

Studio de Lettrage

210 Main Street W
Hawkesbury, Ontario K6A 2H6

INVOICE

Invoice No.: 20835
Date: 09/09/2013
Ship Date:
Page: 1
Re: Order No. WO10724

Sold to:

Dart Aerospace Ltd
1270 Aberdeen
Hawkesbury, Ontario K6A 1K7

Ship to:

Dart Aerospace Ltd
Hawkesbury, Ontario

Business No.: 82500 7651 RT0001

Item No.	Unit	Quantity	Description	Tax	Unit Price	Amount
		10	D3301-3P stickers	H	10.00	100.00
		10	D2268P sticker	H	10.00	100.00
		10	D2269P - stickers	H	10.00	100.00
			H - HST 13%			
			HST			39.00
Studio de Lettrage HST: #825007651RT0001						
Shipped By: Tracking Number:						
Comment: *** DART PO 21139						
Sold By:						
Total Amount						339.00

****Certificate of Conformity****

Customer:

Stuebeltrage

Purchase Order #:

PO 21139

Packing Slip #:

10724

Part #:

See Desc.

Serial #:

Description:

stickers

Quantity:

30

Certification:

We hereby certify that:

1. The above the listed items were manufactured, repaired and/or inspected in accordance with applicable drawings and/or specifications;
2. All work was accomplished in accordance with the Dart Aerospace Purchase Order;
3. Results of all inspections, chemical or physical tests, as well as other evidence, which shows the acceptability of raw materials, parts and/or assembly components are on file and available for inspection at any time.

Authority:


AVERY

APPROVAL: FELIX BLANCHARD

DATE:

Jan 10, 2013

Signature:



Title:

COORDINATOR

Avery® HP 700 High Performance Calendered Series

Opaque Permanent Kraft

(formerly: A6 Opaque Series – 78#)
Revision: 3 Dated: 10/26/11

Uses:

Avery HP-700 series calendered films are premium quality, flexible, opaque solid color medium gloss vinyl films designed for use in a wide range of sign making applications. This product is ideal for a variety of intermediate term outdoor projects.



Face: 3.0 mil (76 microns) *gloss calendered film*



Adhesive: Permanent Clear Acrylic



Liner: 78# Bleached Kraft



Durability: Up to 6 years

Application Surfaces:

Flat, Simple Curves

Features:

- Outstanding durability and outdoor performance
- Dimensionally stable liner for easy converting
- Medium gloss finish
- Excellent conversion on CAD plotters
- Easy cutting & weeding
- Good dimensional stability
- Good UV, temperature, humidity, and salt-spray resistance

Conversion:

- ☒ Thermal Die-Cutting
- ☒ Flat Bed Sign-Cut
- ☒ Drum Roller Sign-Cut
- ☒ Steel Rule Die-Cutting

- ☒ Thermal Transfer
- ☐ Screen Printing
- ☐ Cold Overlaminating
- ☐ Water based inkjet

- ☐ Solvent based inkjet
- ☐ Mild/Eco Solvent inkjet
- ☐ UV inkjet

Common Applications:

Trucks
Trailers
Cars & Vans

Banners
Architectural Signage
Directional Signage

Trains & light rail
Buses
Outdoor advertising

Product Data Sheet

Page 1 of 5



Avery® HP 700 High Performance Calendered Series

Opaque Permanent Kraft

(formerly: A6 Opaque Series – 78#)
Revision: 3 Dated: 10/26/11

Physical Characteristics:

Property	Value
Caliper, face	3.0 mil (76 µm)
Caliper, adhesive	1.0mil (25 µm)
Dimensional stability	<0.03"(0.765mm)
Tensile at Yield	9.0 -15.0 lb/in (1.6 - 2.7 kg/cm)
Elongation	100% min.
Gloss	70%
Adhesion: 15 min.	3.0 lbs/in (525 N/m)
24 hr.	4.4 lbs/in (770 N/m)
Flammability	Self Extinguishing
Shelf-Life	1 year
Durability	Vertical Exposure Up to 6 years
Min. Application Temperature	50° F (10° C)
Service Temperature	-40° - 180°F (-40° - 82° C) (Reasonable range of temperatures which would be expected under normal environmental conditions).
Chemical resistance	Resistant to most mild acids, alkalis, and salt solutions.

Important:

Information on physical and chemical characteristics are based on tests believed to be reliable. The values are intended only as a source of information. This information is given without guaranty and do not constitute a warranty. The purchaser should independently determine, prior to use, the suitability of any material for their specific purpose. (Data represents average values where applicable, and is not intended for specification purposes)

Warranty:

All statements, technical information and recommendations about Avery Dennison products are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its purposes. Avery Dennison products are warranted to be free from defects in material and workmanship for either one year (or the period stated on the specific product information literature in effect at time of delivery, if longer) from date of shipment if said product is properly stored and applied. It is expressly agreed and understood that Avery Dennison's sole obligation and Purchaser's exclusive remedy under this warranty, under any other warranty, express or implied, or otherwise, shall be limited to repair or replacement of defective product without charge at Avery Dennison's plant or at the location of product (at Avery Dennison's election), or in the event replacement or repairs is not commercially practical, to Avery Dennison's issuing Purchaser a credit reasonable in light of the defect in the product.

Avery Dennison's liability for defective products shall not exceed the purchase price paid therefore by Purchaser and in no event shall Avery Dennison be responsible for any incidental or consequential damages whether foreseeable or not, caused by defects in such product, whether such damage occurs or is discovered before or after replacement or credit, and whether or not such damage is caused by Avery Dennison's negligence.

NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES, WHETHER OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR USE, OR OTHERWISE (EXCEPT AS TO TITLE), OTHER THAN THOSE EXPRESSLY SET FORTH ABOVE WHICH ARE MADE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, SHALL APPLY TO PRODUCTS SOLD BY AVERY DENNISON. AVERY DENNISON SPECIFICALLY DISCLAIMS AND EXCLUDES ALL OTHER SUCH WARRANTIES. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND MANUALLY SIGNED BY AN OFFICER OF AVERY DENNISON.

Product Data Sheet

Page 2 of 5
Graphics & Reflective Products Division
250 Chester Street
Painesville, OH 44077



AVERY
DENNISON

AnswerLine: 800-231-4654
www.averygraphics.com

Avery® HP 700 High Performance Calendered Series

Opaque Permanent Kraft

(formerly: A6 Opaque Series – 78#)

Revision: 3 Dated: 10/26/11

Colors Cross Reference:

A6 OPAQUE SERIES - 78#	EVERY 700 PREMIUM CALENDERED OPAQUE PERMANENT KRAFT	A6 OPAQUE SERIES - 78#	EVERY 700 PREMIUM CALENDERED OPAQUE PERMANENT KRAFT
A6001-O White	HP 700-101-O White	A6533-O Cool Blue	HP 700-633-O Cool Blue
A6002-O Matte White	HP 700-102-O Matte White	A6540-O Light Blue	HP 700-640-O Light Blue
A6003-O Clear	HP 700-103-O Clear §	A6542-O Cascade Blue	HP 700-642-O Cascade Blue
A6005-O True White	HP 700-105-O True White	A6573-O Medium Blue	HP 700-655-O Medium Blue
A6080-O Matte Black	HP 700-180-O Matte Black	A6570-O Vivid Blue	HP 700-670-O Vivid Blue
A6090-O Black	HP 700-190-O Black	A6583-O Royal Blue	HP 700-683-O Royal Blue
A6110-O Primrose Yellow	HP 700-210-O Primrose Yellow	A6587-O Impulse Blue	HP 700-687-O Impulse Blue
A6247-O Gold	HP 700-215-O Gold ±	A6595-O Dark Blue	HP 700-695-O Dark Blue
A6125-O Rubber Duckie	HP 700-225-O Rubber Duckie	A6597-O Dark Navy Blue	HP 700-697-O Dark Navy Blue
A6135-O Yellow	HP 700-235-O Yellow	A6615-O Real Teal	HP 700-715-O Real Teal
A6150-O Dark Yellow	HP 700-250-O Dark Yellow	A6620-O Teal	HP 700-720-O Teal
A6152-O Mustard	HP 700-252-O Mustard	A6625-O Turquoise	HP 700-725-O Turquoise
A6250-O Imitation Gold	HP 700-253-O Imitation Gold	A6658-O Iguana Green	HP 700-758-O Iguana Green
A6315-O Tangerine	HP 700-315-O Tangerine Δ	A6665-O Olive Green	HP 700-765-O Olive Green
A6180-O Bright Orange	HP 700-380-O Bright Orange Δ	A6666-O Sherwood Green	HP 700-766-O Sherwood Green
A6325-O Tomato Red	HP 700-425-O Tomato Red Δ	A6670-O Kelly Green	HP 700-770-O Kelly Green
A6330-O Cardinal Red	HP 700-430-O Cardinal Red	A6678-O Green	HP 700-778-O Green
A6332-O True Red	HP 700-432-O True Red	A6680-O Yellow Green	HP 700-780-O Yellow Green
A6340-O Red	HP 700-440-O Red	A6685-O Forest Green	HP 700-785-O Forest Green
A6345-O Fire Red	HP 700-445-O Fire Red	A6693-O Dark Green	HP 700-793-O Dark Green
A6350-O Dark Red	HP 700-450-O Dark Red	A6077-O Silver	HP 700-801-O Silver ±
A6360-O Spectra Red	HP 700-460-O Spectra Red	A6030-O Slate Gray	HP 700-830-O Slate Gray
A6370-O Burgundy	HP 700-470-O Burgundy	A6035-O Medium Gray	HP 700-835-O Medium Gray
A6408-O Soft Pink	HP 700-508-O Soft Pink	A6055-O Dark Gray	HP 700-855-O Dark Gray
A6415-O Blossom	HP 700-515-O Blossom	A6070-O Battleship Gray	HP 700-870-O Battleship Gray
A6419-O Blush	HP 700-519-O Blush	A6220-O Beige	HP 700-920-O Beige
A6465-O Purple	HP 700-565-O Purple	A6260-O Terra Cotta	HP 700-960-O Terra Cotta
A6470-O Berry	HP 700-570-O Berry	A6273-O Carmel	HP 700-973-O Carmel
A6508-O Vibrant Blue	HP 700-608-O Vibrant Blue §	A6283-O Dark Brown	HP 700-983-O Dark Brown
A6525-O Majestic Blue	HP 700-625-O Majestic Blue	A6290-O Chocolate Brown	HP 700-990-O Chocolate Brown
A6530-O Olympic Blue	HP 700-630-O Olympic Blue	A6533-O Cool Blue	HP 700-633-O Cool Blue
A6532-O Wedgwood Blue	HP 700-632-O Wedgwood Blue	A6540-O Light Blue	HP 700-640-O Light Blue

NOTE: Some color fade may occur in severe environmental areas. Reference IB 1.30 for durability guidelines.
 ± - pigmented adhesive, not reversible

Gloss Exceptions: 50 at 60°

A6077-O Silver
 A6247-O Gold
 A6508-O Vibrant Blue
 ± - 3 year durability
 § - 4 year durability
 Δ - 5 year durability

Product Data Sheet

Page 3 of 5
 Graphics & Reflective Products Division
 250 Chester Street
 Painesville, OH 44077



AnswerLine: 800-231-4654
 www.averygraphics.com

Avery® HP 700 High Performance Calendered Series

Opaque Permanent Kraft

(formerly: A6 Opaque Series – 78#)
Revision: 3 Dated: 10/26/11

Specification/Certification Compliance:

1) EU RoHS directive.

The following chart of colors offered in the Avery Dennison's HP700 series (formerly A6) , Permanent Adhesive Backed, Calendered Film construction meet the guidelines set forth for the Maximum Concentration Values (MCV) of the following restricted substances, as outlined in the EU RoHS Directive. (If a color is not listed, it does NOT meet the guidelines)

1) Lead (Pb)

MCV < 0.10% = <1,000 ppm

2) Mercury (Hg)

MCV < 0.10% = <1,000 ppm

3) Hexavalent Chromium (CrVI)

MCV < 0.10% = <1,000 ppm

4) Cadmium (Cd)

MCV < 0.01% = <100 ppm

5 & 6) Polybrominated flame retardants (PBB or PBDE)

MCV < 0.10% = 1,000 ppm

Color	Color	Color	Color
HP 700-101-O White	HP 700-519-O Blush	HP 700-655-O Medium Blue	UC700-793-O Dark Green
HP 700-102-O Matte White	HP 700-565-O Purple	HP 700-670-O Vivid Blue	HP 700-830-O Slate Gray
HP 700-103-O Clear	HP 700-570-O Berry	HP 700-683-O Royal Blue	HP 700-835-O Medium Gray
HP 700-180-O Matte Black	HP 700-608-O Vibrant Blue	HP 700-687-O Impulse Blue	HP 700-855-O Dark Gray
HP 700-190-O Black	HP 700-625-O Majestic Blue	HP 700-695-O Dark Blue	HP 700-870-O Battleship Gray
HP 700-430-O Cardinal Red	HP 700-630-O Olympic Blue	HP 700-697-O Dark Navy Blue	HP 700-920-O Beige
HP 700-440-O Red	HP 700-632-O Wedgwood Blue	HP 700-715-O Real Teal	HP 700-960-O Terra Cotta
HP 700-460-O Spectra Red	HP 700-633-O Cool Blue	HP 700-720-O Teal	HP 700-960-O Carmel
HP 700-470-O Burgundy	HP 700-640-O Light Blue	HP 700-725-O Turquoise	HP 700-983-O Dark Brown
HP 700-508-O Soft Pink	HP 700-642-O Cascade Blue	HP 700-758-O Iguana Green	HP 700-990-O Chocolate Brown

Avery does not knowingly use and is not aware of any of these restricted components being present in the original engineering of these products.

However, it is not always possible to preclude low level raw material or film contamination and this might results in these products containing some other metals at a trace level. Analysis of each substance does not necessarily form part of our quality control system.

2) Other certifications or compliance of these products can be obtained by contacting your Avery Dennison representative.

Product Data Sheet

Page 4 of 5

Graphics & Reflective Products Division
250 Chester Street
Painesville, OH 44077



AnswerLine: 800-231-4654
www.averygraphics.com

Avery® HP 700 High Performance Calendered Series

Opaque Permanent Kraft

(formerly: A6 Opaque Series – 78#)
Revision: 3 Dated: 10/26/11

Dimensional stability:

Is measured on a 6" x 6" (150 x 150 mm) aluminum panel to which a specimen has been applied; 72 hours after application the panel is scored in a cross pattern, exposed for 48 hours to 150°F (65°C), after which the shrinkage is measured.

Adhesion:

(FTM-1, FINAT) is measured by peeling a specimen at a 180° angle from a stainless steel panel, 24 hours after the specimen has been applied under standardized conditions. Initial adhesion is measured 15 minutes after application of the specimen.

Flammability:

A specimen applied to aluminum is subjected to the flame of a gas burner for 15 seconds. The film should stop burning within 15 seconds after removal from the flame.

Temperature range:

A specimen applied to stainless steel is exposed at high and low temperatures and brought back to room temperature. 1 hour after exposure the specimen is examined for any deterioration. Note: Prolonged exposure to high and low temperatures in the presence of chemicals such as solvents, acids, dyes, etc. may eventually cause deterioration.

Chemical Resistance:

All chemical tests are conducted with test panels to which a specimen has been applied. 72 hours after application the panels are immersed in the test fluid for the given test period. 1 hour after removing the panel from the fluid, the specimen is examined for any deterioration.

Revisions are italicized

Avery Dennison is a registered trademark of Avery Dennison Corp.

Product Data Sheet

Page 5 of 5

Graphics & Reflective Products Division
250 Chester Street
Painesville, OH 44077



**AVERY
DENNISON**

AnswerLine: 800-231-4654
www.averygraphics.com